

CONTENTS

| | |
|------------------------|--------|
| Nomenclature | xxxiii |
|------------------------|--------|

CHAPTER 1

ELECTROCHEMISTRY

| | |
|--|----|
| 1.1. A State of Excitement | 1 |
| 1.2. Two Kinds of Electrochemistry | 3 |
| 1.3. Some Characteristics of Electrodics | 5 |
| 1.4. Properties of Materials and Surfaces | 6 |
| 1.4.1. Interfaces in Contact with Solutions Are Always Charged | 6 |
| 1.4.2. The Continuous Flow of Electrons across an Interface: Electrochemical Reactions | 8 |
| 1.4.3. Electrochemical and Chemical Reactions | 9 |
| 1.5. The Relation of Electrochemistry to Other Sciences | 12 |
| 1.5.1. Some Diagrammatic Presentations | 12 |
| 1.5.2. Some Examples of the Involvement of Electrochemistry in Other Sciences | 13 |
| 1.5.2.1. Chemistry. | 13 |
| 1.5.2.2. Metallurgy. | 13 |
| 1.5.2.3. Engineering. | 15 |
| 1.5.2.4. Biology. | 15 |
| 1.5.2.5. Geology. | 15 |
| 1.5.3. Electrochemistry as an Interdisciplinary Field, Distinct from Chemistry .. | 15 |
| 1.6. The Frontier in Ionics: Nonaqueous Solutions | 16 |

| | | |
|---------|---|----|
| 1.7. | A New World of Rich Variety: Room-Temperature Molten Salts | 19 |
| 1.8. | Electrochemical Determination of Radical Intermediates by Means of Infrared Spectroscopy | 20 |
| 1.9. | Relay Stations Placed Inside Proteins Can Carry an Electric Current | 22 |
| 1.10. | Speculative Electrochemical Approach to Understanding Metabolism | 24 |
| 1.11. | The Electrochemistry of Cleaner Environments | 25 |
| 1.12. | Science, Technology, Electrochemistry, and Time | 27 |
| 1.12.1. | Significance of Interfacial Charge-Transfer Reactions | 27 |
| 1.12.2. | The Relation between Three Major Advances in Science, and the Place of Electrochemistry in the Developing World | 28 |
| | Further Reading. | 32 |

CHAPTER 2

ION-SOLVENT INTERACTIONS

| | | |
|--------|--|----|
| 2.1. | Introduction | 35 |
| 2.2. | Breadth of Solvation as a Field | 37 |
| 2.3. | A Look at Some Approaches to Solvation Developed Mainly after 1980 | 39 |
| 2.3.1. | Statistical Mechanical Approaches | 39 |
| 2.3.2. | What Are Monte Carlo and Molecular Dynamics Calculations? | 39 |
| 2.3.3. | Spectroscopic Approaches | 40 |
| 2.4. | Structure of the Most Common Solvent, Water | 41 |
| 2.4.1. | How Does the Presence of an Ion Affect the Structure of Neighboring Water? | 46 |
| 2.4.2. | Size and Dipole Moment of Water Molecules in Solution | 48 |
| 2.4.3. | The Ion–Dipole Model for Ion–Solvent Interactions | 49 |
| | Further Reading | 50 |
| 2.5. | Tools for Investigating Solvation | 50 |
| 2.5.1. | Introduction | 50 |
| 2.5.2. | Thermodynamic Approaches: Heats of Solvation | 51 |
| 2.5.3. | Obtaining Experimental Values of Free Energies and Entropies of the Solvation of Salts | 53 |
| 2.6. | Partial Molar Volumes of Ions in Solution | 55 |
| 2.6.1. | Definition | 55 |

CONTENTS **xix**

| | | |
|---------|--|-----|
| 2.6.2. | How Does One Obtain Individual Ionic Volume from the Partial Molar Volume of Electrolytes? | 56 |
| 2.6.3. | Conway's Successful Extrapolation | 57 |
| 2.7. | Compressibility and Vibration Potential Approach to Solvation Numbers of Electrolytes | 58 |
| 2.7.1. | Relation of Compressibility to Solvation | 58 |
| 2.7.2. | Measuring Compressibility: How It Is Done | 60 |
| 2.8. | Total Solvation Numbers of Ions in Electrolytes | 61 |
| 2.8.1. | Ionic Vibration Potentials: Their Use in Obtaining the Difference of the Solvation Numbers of Two Ions in a Salt | 63 |
| 2.9. | Solvation Numbers at High Concentrations | 68 |
| 2.9.1. | Hydration Numbers from Activity Coefficients | 68 |
| 2.10. | Transport. | 70 |
| 2.10.1. | The Mobility Method | 70 |
| 2.11. | Spectroscopic Approaches to Obtaining Information on Structures near an Ion | 72 |
| 2.11.1. | General | 72 |
| 2.11.2. | IR Spectra | 73 |
| 2.11.3. | The Neutron Diffraction Approach to Solvation | 77 |
| 2.11.4. | To What Extent Do Raman Spectra Contribute to Knowledge of the Solvation Shell? | 83 |
| 2.11.5. | Raman Spectra and Solution Structure | 84 |
| 2.11.6. | Information on Solvation from Spectra Arising from Resonance in the Nucleus. | 85 |
| | Further Reading | 86 |
| 2.12. | Dielectric Effects | 87 |
| 2.12.1. | Dielectric Constant of Solutions | 87 |
| 2.12.2. | How Does One Measure the Dielectric Constant of Ionic Solutions? | 92 |
| 2.12.3. | Conclusion. | 93 |
| | Further Reading | 93 |
| 2.13. | Ionic Hydration in the Gas Phase | 94 |
| 2.14. | Individual Ionic Properties | 98 |
| 2.14.1. | Introduction. | 98 |
| 2.14.2. | A General Approach to Individual Ionic Properties: Extrapolation to Make the Effects of One Ion Negligible. | 99 |
| 2.15. | Individual Heat of Hydration of the Proton | 99 |
| 2.15.1. | Introduction. | 99 |
| 2.15.2. | Relative Heats of Solvation of Ions in the Hydrogen Scale | 100 |

xx CONTENTS

| | | |
|------------|--|-----|
| 2.15.3. | Do Oppositely Charged Ions of Equal Radii Have Equal Heats of Solvation? | 101 |
| 2.15.4. | The Water Molecule as an Electrical Quadrupole | 102 |
| 2.15.5. | The Ion–Quadrupole Model of Ion–Solvent Interactions | 103 |
| 2.15.6. | Ion-Induced Dipole Interactions in the Primary Solvation Sheath | 106 |
| 2.15.7. | How Good Is the Ion–Quadrupole Theory of Solvation? | 107 |
| 2.15.8. | How Can Temperature Coefficients of Reversible Cells Be Used to Obtain Ionic Entropies? | 110 |
| 2.15.9. | Individual Ionic Properties: A Summary | 114 |
| 2.15.10. | Model Calculations of Hydration Heats | 114 |
| 2.15.11. | Heat Changes Accompanying Hydration. | 117 |
| 2.15.11.1. | $\Delta H_{\text{ion-water}}$ | 119 |
| 2.15.11.2. | $\Delta H_{\text{ion-NSCW}}$ | 120 |
| 2.15.11.3. | ΔH_{lat} | 121 |
| 2.15.11.4. | ΔH_{BC} | 121 |
| 2.15.11.5. | $\Sigma \Delta H_{SB}$ (Model A) | 121 |
| 2.15.11.6. | $\Sigma \Delta H_{SB}$ (Model B) | 122 |
| 2.15.11.7. | $\Sigma \Delta H_{SB}$ (Model C) | 122 |
| 2.15.11.8. | n_{SB} | 124 |
| 2.15.11.9. | Numerical Evaluation of ΔH_k | 124 |
| 2.15.12. | Entropy of Hydration: Some Possible Models | 126 |
| 2.15.13. | Entropy Changes Accompanying Hydration | 126 |
| 2.15.13.1. | $S_{i,g}$ | 127 |
| 2.15.13.2. | ΔS_{BC} | 127 |
| 2.15.13.3. | $S_{i,tr}$ | 127 |
| 2.15.13.4. | S_{i-SCW} | 130 |
| 2.15.13.5. | S_{NSCW} | 132 |
| 2.15.13.6. | S_{SB} (Model A) | 133 |
| 2.15.13.7. | S_{SB} (Model C) | 134 |
| 2.15.14. | Is There a Connection between the Entropy of Solvation and the Heats of Hydration? | 138 |
| 2.15.15. | Krestov’s Separation of Ion and Solvent Effects in Ion Hydration | 139 |
| 2.16. | More on Solvation Numbers | 139 |
| 2.16.1. | Introduction | 139 |
| 2.16.2. | Dynamic Properties of Water and Their Effect on Hydration Numbers | 141 |
| 2.16.3. | A Reconsideration of the Methods for Determining the Primary Hydration Numbers Presented in Section 2.15 | 142 |
| 2.16.4. | Why Do Hydration Heats of Transition-Metal Ions Vary Irregularly with Atomic Number? | 145 |
| | Further Reading | 152 |
| 2.17. | Computer-Simulation Approaches to Ionic Solvation | 153 |
| 2.17.1. | General | 153 |
| 2.17.2. | An Early Molecular Dynamics Attempt at Calculating Solvation Number | 154 |
| 2.17.3. | Computational Approaches to Ionic Solvation | 154 |
| 2.17.4. | Basic Equations Used in Molecular Dynamics Calculations | 155 |

| | | |
|---------|---|-----|
| 2.18. | Computation of Ion–Water Clusters in the Gas Phase | 157 |
| 2.19. | Solvent Dynamic Simulations for Aqueous Solutions | 163 |
| | Further Reading | 166 |
| 2.20. | Interactions of Ions with Nonelectrolytes in Solution | 166 |
| 2.20.1. | The Problem | 166 |
| 2.20.2. | Change in Solubility of a Nonelectrolyte Due to Primary Solvation | 167 |
| 2.20.3. | Change in Solubility Due to Secondary Solvation | 168 |
| 2.20.4. | Net Effect on Solubility of Influences from Primary and Secondary Solvation | 171 |
| 2.20.5. | Cause of Anomalous Salting In | 173 |
| 2.20.6. | Hydrophobic Effect in Solvation | 175 |
| | Further Reading | 178 |
| 2.21. | Dielectric Breakdown of Water | 179 |
| 2.21.1. | Phenomenology | 179 |
| 2.21.2. | Mechanistic Thoughts | 181 |
| 2.22. | Electrostriction | 185 |
| 2.22.1. | Electrostrictive Pressure near an Ion in Solution | 185 |
| 2.22.2. | Maximum Electrostrictive Decrease in the Volume of Water in the First Hydration Shell | 187 |
| 2.22.3. | Dependence of Compressibility on Pressure | 187 |
| 2.22.4. | Volume Change and Where It Occurs in Electrostriction | 189 |
| 2.22.5. | Electrostriction in Other Systems. | 190 |
| | Further Reading | 190 |
| 2.23. | Hydration of Polyions | 190 |
| 2.23.1. | Introduction | 190 |
| 2.23.2. | Volume of Individual Polyions | 191 |
| 2.23.3. | Hydration of Cross-Linked Polymers (e.g., Polystyrene Sulfonate) | 191 |
| 2.23.4. | Effect of Macroions on the Solvent | 192 |
| 2.24. | Hydration in Biophysics | 192 |
| 2.24.1. | A Model for Hydration and Diffusion of Polyions | 193 |
| 2.24.2. | Molecular Dynamics Approach to Protein Hydration | 194 |
| 2.24.3. | Protein Dynamics as a Function of Hydration | 194 |
| 2.24.4. | Dielectric Behavior of DNA | 195 |
| 2.24.5. | Solvation Effects and the α -Helix–Coil Transition | 197 |
| 2.25. | Water in Biological Systems | 197 |
| 2.25.1. | Does Water in Biological Systems Have a Different Structure from Water <i>In Vitro?</i> | 197 |
| 2.25.2. | Spectroscopic Studies of Hydration of Biological Systems | 198 |
| 2.25.3. | Molecular Dynamic Simulations of Biowater | 198 |

| | | |
|---------|---|-----|
| 2.26. | Some Directions of Future Research in Ion–Solvent Interactions | 199 |
| 2.27. | Overview of Ionic Solvation and Its Functions | 201 |
| 2.27.1. | Hydration of Simple Cations and Anions | 201 |
| 2.27.2. | Transition-Metal Ions | 203 |
| 2.27.3. | Molecular Dynamic Simulations | 203 |
| 2.27.4. | Functions of Hydration | 203 |
| | Appendix 2.1. The Born Equation | 204 |
| | Appendix 2.2. Interaction between an Ion and a Dipole | 207 |
| | Appendix 2.3. Interaction between an Ion and a Water Quadrupole | 209 |

CHAPTER 3

ION–ION INTERACTIONS

| | | |
|---------|---|-----|
| 3.1. | Introduction | 225 |
| 3.2. | True and Potential Electrolytes | 225 |
| 3.2.1. | Ionic Crystals Form True Electrolytes | 225 |
| 3.2.2. | Potential Electrolytes: Nonionic Substances That React with the Solvent to Yield Ions | 226 |
| 3.2.3. | An Obsolete Classification: Strong and Weak Electrolytes | 228 |
| 3.2.4. | The Nature of the Electrolyte and the Relevance of Ion–Ion Interactions . | 229 |
| 3.3. | The Debye–Hückel (or Ion-Cloud) Theory of Ion–Ion Interactions | 230 |
| 3.3.1. | A Strategy for a Quantitative Understanding of Ion–Ion Interactions | 230 |
| 3.3.2. | A Prelude to the Ionic-Cloud Theory | 232 |
| 3.3.3. | Charge Density near the Central Ion Is Determined by Electrostatics: Poisson’s Equation | 235 |
| 3.3.4. | Excess Charge Density near the Central Ion Is Given by a Classical Law for the Distribution of Point Charges in a Coulombic Field | 236 |
| 3.3.5. | A Vital Step in the Debye–Hückel Theory of the Charge Distribution around Ions: Linearization of the Boltzmann Equation | 237 |
| 3.3.6. | The Linearized Poisson–Boltzmann Equation | 238 |
| 3.3.7. | Solution of the Linearized P–B Equation | 239 |
| 3.3.8. | The Ionic Cloud around a Central Ion | 242 |
| 3.3.9. | Contribution of the Ionic Cloud to the Electrostatic Potential ψ_r , at a Distance r from the Central Ion | 247 |
| 3.3.10. | The Ionic Cloud and the Chemical-Potential Change Arising from Ion–Ion Interactions | 250 |
| 3.4. | Activity Coefficients and Ion–Ion Interactions | 251 |
| 3.4.1. | Evolution of the Concept of an Activity Coefficient | 251 |

| | | |
|--------|--|-----|
| 3.4.2. | The Physical Significance of Activity Coefficients | 253 |
| 3.4.3. | The Activity Coefficient of a Single Ionic Species Cannot Be Measured | 255 |
| 3.4.4. | The Mean Ionic Activity Coefficient | 256 |
| 3.4.5. | Conversion of Theoretical Activity-Coefficient Expressions into a Testable Form | 257 |
| 3.4.6. | Experimental Determination of Activity Coefficients | 260 |
| 3.4.7. | How to Obtain <i>Solute</i> Activities from Data on <i>Solvent</i> Activities | 261 |
| 3.4.8. | A Second Method to Obtain Solute Activities: From Data on Concentration Cells and Transport Numbers | 263 |
| | Further Reading | 267 |
| 3.5. | The Triumphs and Limitations of the Debye–Hückel Theory of Activity Coefficients | 268 |
| 3.5.1. | How Well Does the Debye–Hückel Theoretical Expression for Activity Coefficients Predict Experimental Values? | 268 |
| 3.5.2. | Ions Are of Finite Size, They Are Not Point Charges | 273 |
| 3.5.3. | The Theoretical Mean Ionic-Activity Coefficient in the Case of Ionic Clouds with Finite-Sized Ions | 277 |
| 3.5.4. | The Ion Size Parameter a | 280 |
| 3.5.5. | Comparison of the Finite-Ion-Size Model with Experiment | 280 |
| 3.5.6. | The Debye–Hückel Theory of Ionic Solutions: An Assessment | 286 |
| 3.5.7. | Parentage of the Theory of Ion–Ion Interactions | 292 |
| | Further Reading | 293 |
| 3.6. | Ion–Solvent Interactions and the Activity Coefficient | 293 |
| 3.6.1. | Effect of Water Bound to Ions on the Theory of Deviations from Ideality | 293 |
| 3.6.2. | Quantitative Theory of the Activity of an Electrolyte as a Function of the Hydration Number | 295 |
| 3.6.3. | The Water Removal Theory of Activity Coefficients and Its Apparent Consistency with Experiment at High Electrolytic Concentrations | 297 |
| 3.7. | The So-called “Rigorous” Solutions of the Poisson–Boltzmann Equation | 300 |
| 3.8. | Temporary Ion Association in an Electrolytic Solution: Formation of Pairs, Triplets | 304 |
| 3.8.1. | Positive and Negative Ions Can Stick Together: Ion-Pair Formation | 304 |
| 3.8.2. | Probability of Finding Oppositely Charged Ions near Each Other | 304 |
| 3.8.3. | The Fraction of Ion Pairs, According to Bjerrum | 307 |
| 3.8.4. | The Ion-Association Constant K_A of Bjerrum | 309 |
| 3.8.5. | Activity Coefficients, Bjerrum’s Ion Pairs, and Debye’s Free Ions | 314 |
| 3.8.6. | From Ion Pairs to Triple Ions to Clusters of Ions | 314 |
| 3.9. | The Virial Coefficient Approach to Dealing with Solutions | 315 |
| | Further Reading | 318 |
| 3.10. | Computer Simulation in the Theory of Ionic Solutions | 319 |

| | | |
|---------------|--|-----|
| 3.10.1. | The Monte Carlo Approach | 319 |
| 3.10.2. | Molecular Dynamic Simulations | 320 |
| 3.10.3. | The Pair-Potential Interaction | 321 |
| 3.10.4. | Experiments and Monte Carlo and MD Techniques | 322 |
| | Further Reading | 323 |
| 3.11. | The Correlation Function Approach | 324 |
| 3.11.1. | Introduction | 324 |
| 3.11.2. | Obtaining Solution Properties from Correlation Functions | 324 |
| 3.12. | How Far Has the MSA Gone in the Development of Estimation of Properties for Electrolyte Solutions? | 326 |
| 3.13. | Computations of Dimer and Trimer Formation in Ionic Solution . | 329 |
| 3.14. | More Detailed Models | 333 |
| | Further Reading | 336 |
| 3.15. | Spectroscopic Approaches to the Constitution of Electrolytic Solutions | 337 |
| 3.15.1 | Visible and Ultraviolet Absorption Spectroscopy | 338 |
| 3.15.2 | Raman Spectroscopy | 339 |
| 3.15.3 | Infrared Spectroscopy | 340 |
| 3.15.4 | Nuclear Magnetic Resonance Spectroscopy | 340 |
| | Further Reading | 341 |
| 3.16. | Ionic Solution Theory in the Twenty-First Century | 341 |
| Appendix 3.1. | Poisson's Equation for a Spherically Symmetrical Charge Distribution | 344 |
| Appendix 3.2. | Evaluation of the Integral $\int_{r=0}^{\infty} e^{-\kappa r} (\kappa r) d(\kappa r)$ | 345 |
| Appendix 3.3. | Derivation of the Result, $f_{\pm} = (f_+^\nu + f_-^\nu)^{1/\nu}$ | 345 |
| Appendix 3.4. | To Show That the Minimum in the P_r versus r Curve Occurs at $r = \lambda/2$ | 346 |
| Appendix 3.5. | Transformation from the Variable r to the Variable $y = \lambda/r$. | 347 |
| Appendix 3.6. | Relation between Calculated and Observed Activity Coefficients | 347 |

CHAPTER 4

ION TRANSPORT IN SOLUTIONS

| | | |
|------|--|-----|
| 4.1. | Introduction | 361 |
| 4.2. | Ionic Drift under a Chemical-Potential Gradient: Diffusion | 363 |

| | | |
|---------|---|-----|
| 4.2.1. | The Driving Force for Diffusion | 363 |
| 4.2.2. | The “Deduction” of an Empirical Law: Fick’s First Law of Steady-State Diffusion | 367 |
| 4.2.3. | The Diffusion Coefficient D | 370 |
| 4.2.4. | Ionic Movements: A Case of the Random Walk | 372 |
| 4.2.5. | The Mean Square Distance Traveled in a Time t by a Random-Walking Particle | 374 |
| 4.2.6. | Random-Walking Ions and Diffusion: The Einstein–Smoluchowski Equation | 378 |
| 4.2.7. | The Gross View of Nonsteady-State Diffusion | 380 |
| 4.2.8. | An Often-Used Device for Solving Electrochemical Diffusion Problems: The Laplace Transformation | 382 |
| 4.2.9. | Laplace Transformation Converts the Partial Differential Equation into a Total Differential Equation | 385 |
| 4.2.10. | Initial and Boundary Conditions for the Diffusion Process Stimulated by a Constant Current (or Flux) | 386 |
| 4.2.11. | Concentration Response to a Constant Flux Switched On at $t = 0$ | 390 |
| 4.2.12. | How the Solution of the Constant-Flux Diffusion Problem Leads to the Solution of Other Problems | 396 |
| 4.2.13. | Diffusion Resulting from an Instantaneous Current Pulse | 401 |
| 4.2.14. | Fraction of Ions Traveling the Mean Square Distance $\langle x^2 \rangle$ in the Einstein–Smoluchowski Equation | 405 |
| 4.2.15. | How Can the Diffusion Coefficient Be Related to Molecular Quantities? | 411 |
| 4.2.16. | The Mean Jump Distance l , a Structural Question | 412 |
| 4.2.17. | The Jump Frequency, a Rate-Process Question | 413 |
| 4.2.18. | The Rate-Process Expression for the Diffusion Coefficient | 414 |
| 4.2.19. | Ions and Autocorrelation Functions | 415 |
| 4.2.20. | Diffusion: An Overall View | 418 |
| | Further Reading | 420 |
| 4.3. | Ionic Drift under an Electric Field: Conduction | 421 |
| 4.3.1. | Creation of an Electric Field in an Electrolyte | 421 |
| 4.3.2. | How Do Ions Respond to the Electric Field? | 424 |
| 4.3.3. | The Tendency for a Conflict between Electroneutrality and Conduction | 426 |
| 4.3.4. | Resolution of the Electroneutrality-versus-Conduction Dilemma: Electron-Transfer Reactions | 427 |
| 4.3.5. | Quantitative Link between Electron Flow in the Electrodes and Ion Flow in the Electrolyte: Faraday’s Law | 428 |
| 4.3.6. | The Proportionality Constant Relating Electric Field and Current Density: Specific Conductivity | 429 |
| 4.3.7. | Molar Conductivity and Equivalent Conductivity | 432 |
| 4.3.8. | Equivalent Conductivity Varies with Concentration | 434 |
| 4.3.9. | How Equivalent Conductivity Changes with Concentration: Kohlrausch’s Law | 438 |
| 4.3.10. | Vectorial Character of Current: Kohlrausch’s Law of the Independent Migration of Ions | 439 |

| | | |
|---------|---|-----|
| 4.4. | A Simple Atomistic Picture of Ionic Migration | 442 |
| 4.4.1. | Ionic Movements under the Influence of an Applied Electric Field | 442 |
| 4.4.2. | Average Value of the Drift Velocity | 443 |
| 4.4.3. | Mobility of Ions | 444 |
| 4.4.4. | Current Density Associated with the Directed Movement of Ions in Solution, in Terms of Ionic Drift Velocities | 446 |
| 4.4.5. | Specific and Equivalent Conductivities in Terms of Ionic Mobilities | 447 |
| 4.4.6. | The Einstein Relation between the Absolute Mobility and the Diffusion Coefficient | 448 |
| 4.4.7. | Drag (or Viscous) Force Acting on an Ion in Solution | 452 |
| 4.4.8. | The Stokes–Einstein Relation | 454 |
| 4.4.9. | The Nernst–Einstein Equation | 456 |
| 4.4.10. | Some Limitations of the Nernst–Einstein Relation | 457 |
| 4.4.11. | The Apparent Ionic Charge | 459 |
| 4.4.12. | A Very Approximate Relation between Equivalent Conductivity and Viscosity: Walden’s Rule | 461 |
| 4.4.13. | The Rate-Process Approach to Ionic Migration | 464 |
| 4.4.14. | The Rate-Process Expression for Equivalent Conductivity | 467 |
| 4.4.15. | The Total Driving Force for Ionic Transport: The Gradient of the Electrochemical Potential | 471 |
| | Further Reading | 476 |
| 4.5. | The Interdependence of Ionic Drifts | 476 |
| 4.5.1. | The Drift of One Ionic Species May Influence the Drift of Another | 476 |
| 4.5.2. | A Consequence of the Unequal Mobilities of Cations and Anions, the Transport Numbers | 477 |
| 4.5.3. | The Significance of a Transport Number of Zero | 480 |
| 4.5.4. | The Diffusion Potential, Another Consequence of the Unequal Mobilities of Ions | 483 |
| 4.5.5. | Electroneutrality Coupling between the Drifts of Different Ionic Species | 487 |
| 4.5.6. | How to Determine Transport Number | 488 |
| | 4.5.6.1. Approximate Method for Sufficiently Dilute Solutions | 488 |
| | 4.5.6.2. Hittorf’s Method | 489 |
| | 4.5.6.3. Oliver Lodge’s Experiment | 493 |
| 4.5.7. | The Onsager Phenomenological Equations | 494 |
| 4.5.8. | An Expression for the Diffusion Potential | 496 |
| 4.5.9. | The Integration of the Differential Equation for Diffusion Potentials: The Planck–Henderson Equation | 500 |
| 4.5.10. | A Bird’s Eye View of Ionic Transport | 503 |
| | Further Reading | 505 |
| 4.6. | Influence of Ionic Atmospheres on Ionic Migration | 505 |
| 4.6.1. | Concentration Dependence of the Mobility of Ions | 505 |
| 4.6.2. | Ionic Clouds Attempt to Catch Up with Moving Ions | 507 |
| 4.6.3. | An Egg-Shaped Ionic Cloud and the “Portable” Field on the Central Ion . | 508 |

| | | |
|---------|---|------------|
| 4.6.4. | A Second Braking Effect of the Ionic Cloud on the Central Ion: The Electrophoretic Effect | 509 |
| 4.6.5. | The Net Drift Velocity of an Ion Interacting with Its Atmosphere | 510 |
| 4.6.6. | Electrophoretic Component of the Drift Velocity | 511 |
| 4.6.7. | Procedure for Calculating the Relaxation Component of the Drift Velocity | 512 |
| 4.6.8. | Decay Time of an Ion Atmosphere | 512 |
| 4.6.9. | The Quantitative Measure of the Asymmetry of the Ionic Cloud around a Moving Ion | 514 |
| 4.6.10. | Magnitude of the Relaxation Force and the Relaxation Component of the Drift Velocity | 514 |
| 4.6.11. | Net Drift Velocity and Mobility of an Ion Subject to Ion–Ion Interactions | 517 |
| 4.6.12. | The Debye–Hückel–Onsager Equation | 518 |
| 4.6.13. | Theoretical Predictions of the Debye–Hückel–Onsager Equation versus the Observed Conductance Curves | 520 |
| 4.6.14. | Changes to the Debye–Hückel–Onsager Theory of Conductance | 522 |
| 4.7. | Relaxation Processes in Electrolytic Solutions | 526 |
| 4.7.1. | Definition of Relaxation Processes | 526 |
| 4.7.2. | Dissymmetry of the Ionic Atmosphere | 528 |
| 4.7.3. | Dielectric Relaxation in Liquid Water | 530 |
| 4.7.4. | Effects of Ions on the Relaxation Times of the Solvents in Their Solutions Further Reading | 532 533 |
| 4.8. | Nonaqueous Solutions: A Possible New Frontier in Ionics | 534 |
| 4.8.1. | Water Is the Most Plentiful Solvent | 534 |
| 4.8.2. | Water Is Often Not an Ideal Solvent | 535 |
| 4.8.3. | More Advantages and Disadvantages of Nonaqueous Electrolyte Solutions | 536 |
| 4.8.4. | The Debye–Hückel–Onsager Theory for Nonaqueous Solutions | 537 |
| 4.8.5. | What Type of Empirical Data Are Available for Nonaqueous Electrolytes? | 538 |
| | 4.8.5.1. Effect of Electrolyte Concentration on Solution Conductivity | 538 |
| | 4.8.5.2. Ionic Equilibria and Their Effect on the Permittivity of Electrolyte Solutions | 540 |
| | 4.8.5.3. Ion–Ion Interactions in Nonaqueous Solutions Studied by Vibrational Spectroscopy | 540 |
| | 4.8.5.4. Liquid Ammonia as a Preferred Nonaqueous Solvent | 543 |
| | 4.8.5.5. Other Protonic Solvents and Ion Pairs | 544 |
| 4.8.6. | The Solvent Effect on Mobility at Infinite Dilution | 544 |
| 4.8.7. | Slope of the Λ versus $c^{1/2}$ Curve as a Function of the Solvent | 545 |
| 4.8.8. | Effect of the Solvent on the Concentration of Free Ions: Ion Association | 547 |
| 4.8.9. | Effect of Ion Association on Conductivity | 548 |
| 4.8.10. | Ion-Pair Formation and Non-Coulombic Forces | 551 |
| 4.8.11. | Triple Ions and Higher Aggregates Formed in Nonaqueous Solutions | 552 |
| 4.8.12. | Some Conclusions about the Conductance of Nonaqueous Solutions of True Electrolytes | 553 |
| | Further Reading | 554 |

| | | |
|----------|---|-----|
| 4.9. | Conducting Organic Compounds in Electrochemistry | 554 |
| 4.9.1. | Why Some Polymers Become Electronically Conducting Polymers | 554 |
| 4.9.2. | Applications of Electronically Conducting Polymers in Electrochemical Science | 559 |
| 4.9.2.1. | Electrocatalysis. | 559 |
| 4.9.2.2. | Bioelectrochemistry. | 559 |
| 4.9.2.3. | Batteries and Fuel Cells. | 560 |
| 4.9.2.4. | Other Applications of Electronically Conducting Polymers. | 560 |
| 4.9.3. | Summary | 561 |
| 4.10. | A Brief Rerun through the Conduction Sections | 563 |
| | Further Reading | 564 |
| 4.11. | The Nonconforming Ion: The Proton | 565 |
| 4.11.1. | The Proton as a Different Sort of Ion | 565 |
| 4.11.2. | Protons Transport Differently | 567 |
| 4.11.3. | The Grotthuss Mechanism | 569 |
| 4.11.4. | The Machinery of Nonconformity: A Closer Look at How the Proton Moves | 571 |
| 4.11.5. | Penetrating Energy Barriers by Means of Proton Tunneling | 575 |
| 4.11.6. | One More Step in Understanding Proton Mobility: The Conway, Bockris, and Linton (CBL) Theory | 576 |
| 4.11.7. | How Well Does the Field-Induced Water Reorientation Theory Conform with the Experimental Facts? | 580 |
| 4.11.8. | Proton Mobility in Ice | 581 |
| | Further Reading | 581 |
| | Appendix 4.1. The Mean Square Distance Traveled by a Random-Walking Particle | 582 |
| | Appendix 4.2. The Laplace Transform of a Constant | 584 |
| | Appendix 4.3. The Derivation of Equations (4.279) and (4.280) | 584 |
| | Appendix 4.4. The Derivation of Equation (4.354) | 586 |

CHAPTER 5

IONIC LIQUIDS

| | | |
|--------|---|-----|
| 5.1. | Introduction | 601 |
| 5.1.1. | The Limiting Case of Zero Solvent: Pure Electrolytes | 601 |
| 5.1.2. | Thermal Loosening of an Ionic Lattice | 602 |
| 5.1.3. | Some Differentiating Features of Ionic Liquids (Pure Liquid Electrolytes) | 603 |
| 5.1.4. | Liquid Electrolytes Are Ionic Liquids | 603 |
| 5.1.5. | Fundamental Problems in Pure Liquid Electrolytes | 605 |

| | |
|--|-----|
| Further Reading | 610 |
| 5.2. Models of Simple Ionic Liquids | 611 |
| 5.2.1. Experimental Basis for Model Building | 611 |
| 5.2.2. The Need to Pour Empty Space into a Fused Salt | 611 |
| 5.2.3. How to Derive Short-Range Structure in Molten Salts from Measurements Using X-ray and Neutron Diffraction | 612 |
| 5.2.3.1. Preliminary | 612 |
| 5.2.3.2. Radial Distribution Functions | 614 |
| 5.2.4. Applying Diffraction Theory to Obtain the Pair Correlation Functions in Molten Salts | 616 |
| 5.2.5. Use of Neutrons in Place of X-rays in Diffraction Experiments | 618 |
| 5.2.6. Simple Binary Molten Salts in the Light of the Results of X-ray and Neutron Diffraction Work | 619 |
| 5.2.7. Molecular Dynamic Calculations of Molten Salt Structures | 621 |
| 5.2.8. Modeling Molten Salts | 621 |
| Further Reading | 623 |
| 5.3. Monte Carlo Simulation of Molten Potassium Chloride | 623 |
| 5.3.1. Introduction | 623 |
| 5.3.2. Woodcock and Singer's Model | 624 |
| 5.3.3. Results First Computed by Woodcock and Singer | 625 |
| 5.3.4. A Molecular Dynamic Study of Complexing | 627 |
| Further Reading | 632 |
| 5.4. Various Modeling Approaches to Deriving Conceptual Structures for Molten Salts | 632 |
| 5.4.1. The Hole Model: A Fused Salt Is Represented as Full of Holes as a Swiss Cheese | 632 |
| 5.5. Quantification of the Hole Model for Liquid Electrolytes | 634 |
| 5.5.1. An Expression for the Probability That a Hole Has a Radius between r and $r+dr$ | 634 |
| 5.5.2. An Ingenious Approach to Determine the Work of Forming a Void of Any Size in a Liquid | 637 |
| 5.5.3. The Distribution Function for the Sizes of the Holes in a Liquid Electrolyte | 639 |
| 5.5.4. What Is the Average Size of a Hole in the Fürth Model? | 640 |
| 5.5.5. Glass-Forming Molten Salts | 642 |
| Further Reading | 645 |
| 5.6. More Modeling Aspects of Transport Phenomena in Liquid Electrolytes | 646 |
| 5.6.1. Simplifying Features of Transport in Fused Salts | 646 |
| 5.6.2. Diffusion in Fused Salts | 647 |
| 5.6.2.1. Self-Diffusion in Pure Liquid Electrolytes May Be Revealed by Introducing Isotopes | 647 |

xxx CONTENTS

| | |
|---|-----|
| 5.6.2.2. Results of Self-Diffusion Experiments | 648 |
| 5.6.3. Viscosity of Molten Salts | 651 |
| 5.6.4. Validity of the Stokes–Einstein Relation in Ionic Liquids | 654 |
| 5.6.5. Conductivity of Pure Liquid Electrolytes | 656 |
| 5.6.6. The Nernst–Einstein Relation in Ionic Liquids | 660 |
| 5.6.6.1. Degree of Applicability. | 660 |
| 5.6.6.2. Possible Molecular Mechanisms for Nernst–Einstein Deviations. | 662 |
| 5.6.7. Transport Numbers in Pure Liquid Electrolytes | 665 |
| 5.6.7.1. Transport Numbers in Fused Salts. | 665 |
| 5.6.7.2. Measurement of Transport Numbers in Liquid Electrolytes. | 668 |
| 5.6.7.3. Radiotracer Method of Calculating Transport Numbers in Molten Salts. | 671 |
| Further Reading | 673 |
| 5.7. Using a Hole Model to Understand Transport Processes in Simple Ionic Liquids | 674 |
| 5.7.1. A Simple Approach: Holes in Molten Salts and Transport Processes | 674 |
| 5.7.2. What Is the Mean Lifetime of Holes in the Molten Salt Model? | 676 |
| 5.7.3. Viscosity in Terms of the “Flow of Holes” | 677 |
| 5.7.4. The Diffusion Coefficient from the Hole Model | 678 |
| 5.7.5. Which Theoretical Representation of the Transport Process in Molten Salts Can Rationalize the Relation $E^{\ddagger} = 3.74RT_{m.p.}$? | 680 |
| 5.7.6. An Attempt to Rationalize $E_D^{\ddagger} = E_{\eta}^{\ddagger} = 3.74RT_{m.p.}$ | 681 |
| 5.7.7. How Consistent with Experimental Values Is the Hole Model for Simple Molten Salts? | 683 |
| 5.7.8. Ions May Jump into Holes to Transport Themselves: Can They Also Shuffle About? | 686 |
| 5.7.9. Swallin’s Model of Small Jumps | 691 |
| Further Reading | 693 |
| 5.8. Mixtures of Simple Ionic Liquids: Complex Formation | 694 |
| 5.8.1. Nonideal Behavior of Mixtures | 694 |
| 5.8.2. Interactions Lead to Nonideal Behavior | 695 |
| 5.8.3. Complex Ions in Fused Salts | 696 |
| 5.8.4. An Electrochemical Approach to Evaluating the Identity of Complex Ions in Molten Salt Mixtures | 697 |
| 5.8.5. Can One Determine the Lifetime of Complex Ions in Molten Salts? | 699 |
| 5.9. Spectroscopic Methods Applied to Molten Salts | 702 |
| 5.9.1. Raman Studies of Al Complexes in Low-Temperature “Molten” Systems | 705 |
| 5.9.2. Other Raman Studies of Molten Salts | 706 |
| 5.9.3. Raman Spectra in Molten $\text{CdCl}_2\text{-KCl}$ | 709 |
| 5.9.4. Nuclear Magnetic Resonance and Other Spectroscopic Methods Applied to Molten Salts | 709 |
| Further Reading | 713 |

| | | |
|-----------------------------------|---|-----|
| 5.10. | Electronic Conductance of Alkali Metals Dissolved in Alkali Halides | 714 |
| 5.10.1. | Facts and a Mild Amount of Theory | 714 |
| 5.10.2. | A Model for Electronic Conductance in Molten Salts | 715 |
| | Further Reading | 717 |
| 5.11. | Molten Salts as Reaction Media | 717 |
| | Further Reading | 719 |
| 5.12. | The New Room-Temperature Liquid Electrolytes | 720 |
| 5.12.1. | Reaction Equilibria in Low-Melting-Point Liquid Electrolytes | 721 |
| 5.12.2. | Electrochemical Windows in Low-Temperature Liquid Electrolytes | 722 |
| 5.12.3. | Organic Solutes in Liquid Electrolytes at Low Temperatures | 722 |
| 5.12.4. | Aryl and Alkyl Quaternary Onium Salts | 723 |
| 5.12.5. | The Proton in Low-Temperature Molten Salts | 725 |
| | Further Reading | 725 |
| 5.13. | Mixtures of Liquid Oxide Electrolytes | 726 |
| 5.13.1. | The Liquid Oxides | 726 |
| 5.13.2. | Pure Fused Nonmetallic Oxides Form Network Structures Like Liquid Water | 726 |
| 5.13.3. | Why Does Fused Silica Have a Much Higher Viscosity Than Do Liquid Water and the Fused Salts? | 728 |
| 5.13.4. | Solvent Properties of Fused Nonmetallic Oxides | 733 |
| 5.13.5. | Ionic Additions to the Liquid-Silica Network: Glasses | 734 |
| 5.13.6. | The Extent of Structure Breaking of Three-Dimensional Network Lattices and Its Dependence on the Concentration of Metal Ions Added to the Oxide | 736 |
| 5.13.7. | Molecular and Network Models of Liquid Silicates | 738 |
| 5.13.8. | Liquid Silicates Contain Large Discrete Polyanions | 740 |
| 5.13.9. | The “Iceberg” Model | 745 |
| 5.13.10. | Icebergs As Well as Polyanions | 746 |
| 5.13.11. | Spectroscopic Evidence for the Existence of Various Groups, Including Anionic Polymers, in Liquid Silicates and Aluminates | 746 |
| 5.13.12. | Fused Oxide Systems and the Structure of Planet Earth | 749 |
| 5.13.13. | Fused Oxide Systems in Metallurgy: Slags | 751 |
| | Further Reading | 753 |
| Appendix 5.1. | The Effective Mass of a Hole | 754 |
| Appendix 5.2. | Some Properties of the Gamma Function | 755 |
| Appendix 5.3. | The Kinetic Theory Expression for the Viscosity of a Fluid | 756 |
| Supplemental References | 767 | |
| Index | XXXIX | |