

Contents

Preface	xv
9. HIERARCHICAL THEORY OF UNDULATIVE INDUCTION ACCELERATORS (EH-ACCELERATORS)	1
1 EH-ACCELERATORS: GENERAL IDEAS AND PROPERTIES	2
1.1 Principles of Operation of EH-Accelerators	2
1.2 Comparison of Charged Particle Motions in Longitudinal Electric and Transverse EH-Undulated Fields	5
1.3 Example of the EH-Field Presentation	7
2 EH-ACCELERATOR AS A HIERARCHICAL OSCILLATIVE SYSTEM	11
2.1 Oscillations and Quasi-Resonances	11
2.2 Hierarchy of Oscillations	17
3 MOTION OF CHARGED PARTICLES IN THE NON-STATIONARY LINEARLY POLARIZED EH-ACCELERATOR	21
3.1 Analytical Solutions of the Problem of Particle Motion	21
3.2 Effect of Electron Reflection from the System Input	24
3.3 Effect of a Particle's Capture	27
4 PICOSECOND ELECTRON BUNCH FORMERS	32
4.1 Motion of an Electron Bunch in a Non-Stationary EH-System	32
4.2 Example of the EH-Former for Picosecond Electron Bunches	37

5	STATIONARY EH-ACCELERATORS	39
5.1	Elementary Theory of the Stationary Linearly Polarized EH-Accelerators	39
5.2	Inhomogeneous One-Particle Models	45
6	EXAMPLE: PROJECT OF AN ESPECIALLY COMPACT STATIONARY EH-ACCELERATOR	52
6.1	One of Possible Applications: the E-Beam Sterilizers	52
6.2	Example: the EH-accelerator for Waste and Natural Water Purification Systems	53
7	THE EFFECT OF 'COOLING' OF CHARGED PARTICLE BEAMS IN EH-ACCELERATORS	59
7.1	The Cooling Effect and the Fundamental Principles of Physics	59
7.2	Essence of the Cooling Effect	60
7.3	Homogeneous Non-Stationary Model	61
7.4	Inhomogeneous Non-Stationary Models	67
8	STATIONARY EH-COOLERS	70
8.1	Undulative Electric and Magnetic Fields in Stationary EH-Coolers	70
8.2	Single Particle Theory of the Linearly Polarized Stationary EH-Cooler	73
8.3	Optimization of the Stationary EH-Cooler	79
8.4	Inhomogeneous Model of the Stationary EH-Cooler	82
10.	FREE ELECTRON LASERS AS A CLASSICAL ELECTRON DEVICE WITH A LONG-TIME INTERACTION	89
1	FREE ELECTRON LASERS: GENERAL INFORMATION	89
1.1	Place of the Free Electron Lasers in Modern Electronics	89
1.2	Priority Problem	91
1.3	Basic Physical Mechanisms and the First Theoretical Design	92
1.4	The First Realized Designs of Free Electron Lasers	104
2	GROUPING (BUNCHING) MECHANISMS IN FREE ELECTRON LASERS	107
2.1	Longitudinal Grouping Mechanism	107
2.2	Transverse Grouping (Bunching) Mechanism	114
2.3	Energy Transfer in the System 'Beam+Pumping+Signal'	115

11. HIERARCHICAL SINGLE-PARTICLE THEORY OF FREE ELECTRON LASERS	123
1 GENERAL APPROACH TO THE SINGLE-PARTICLE THEORY OF FREE ELECTRON LASERS	124
1.1 Method of Simulated Magneto-Dielectric	124
1.2 Types of Modeling Pumping Fields	130
1.3 Electron Motion in the Field of Electromagnetic Waves. Integrals of Motion	132
1.4 Reducing Initial Equations to the Standard Form	136
1.5 Classification of Models	138
1.6 Case of a Weak Magnetic Field	139
2 SINGLE-PARTICLE THEORY OF THE FREE ELECTRON LASERS OF DOPPLERTRON TYPE	142
2.1 Obtaining the Equations of the First Hierarchical Level	142
2.2 Passing to the H-Ubitron Model	144
2.3 'Efficiency-Phase' Variables	145
2.4 Model with the Optimal Electrostatic Support	146
2.5 Model with the Optimal Variation of the Retardation Factor	148
2.6 Some Approximate Analytical Solutions	149
2.7 Model with the Two-Frequency Pumping	150
3 THE SINGLE-PARTICLE THEORY OF THE FREE ELECTRON LASER WITH EH-PUMPING	154
3.1 Fields and Problem Formulation	154
3.2 Resonant Conditions	155
3.3 Truncated Equations in the Case of a Weak Magnetic Field	156
3.4 Truncated Equations in the Case of a Coupled Parametric-Cyclotron Resonance	158
3.5 Isochronous Models. The Case of a Super-Weak Magnetic Field	159
3.6 Simplified Multi-Particle Theory of the EH Free Electron Laser	161

12. HIERARCHICAL SELF-CONSISTENT THEORY OF FREE ELECTRON LASERS	169
1 GENERAL FORMULATION OF THE PROBLEM	170
1.1 General Arrangement	170
1.2 Fields and Resonances	170
1.3 Electric Support	172
1.4 Parametric Free Electron Laser as a Hierarchical Oscillative System	172
1.5 Motion Problem	173
1.6 Self-Consistent Problem	174
2 SELF-CONSISTENT TRUNCATED EQUATIONS. SIMPLIFIED VERSION OF THE METHOD OF SLOWLY VARYING AMPLITUDES	175
2.1 Statement of the Problem	176
2.2 Initial Equations	176
2.3 Truncated Equations in the Complex Form	177
2.4 Truncated Equations in the Real Form	180
2.5 Integrals of Motion	181
2.6 Raman and Compton Modes	182
3 SELF-CONSISTENT TRUNCATED EQUATIONS. METHOD OF THE AVERAGED KINETIC EQUATION. THE CUBIC DOPPLERTRON MODEL	183
3.1 Statement of the Problem	183
3.2 Transforming the Kinetic Equation into the Form with Total Derivatives	184
3.3 Scalar Part of the Fields	184
3.4 Current Density and Space Charge	185
3.5 The Problem of Large Parameters	186
3.6 Averaged Kinetic Equation	187
3.7 Wave and Single-Particle Resonant Conditions	187
3.8 Representation of the Distribution Function in the Form of a Fourier Series	188
3.9 Truncated Equations for the Slowly Varying Amplitudes of Distribution Function	188
3.10 Solving the Truncated Equation by Successive Approximations	190
3.11 Back Transformation	192
3.12 Maxwell's Equations	193
3.13 Truncated Equations for the Wave Amplitudes	194
3.14 Raman and Compton Interaction Modes	196

4	SELF-CONSISTENT TRUNCATED EQUATIONS. THE METHOD OF THE AVERAGED KINETIC EQUATION. THE CUBIC NONLINEAR H-UBITRON MODEL	197
4.1	Formulation of the Problem	197
4.2	Three-Level Hierarchical Calculational Scheme	198
4.3	Double-Averaged Kinetic Equation	200
4.4	Solutions of the Double-Averaged Kinetic Equation	200
4.5	Back Transformation on the First Hierarchical Level	201
4.6	Truncated Equations for the Complex Wave Amplitudes	203
4.7	Simplified Version of the Truncated Equations	204
5	SELF-CONSISTENT TRUNCATED EQUATIONS. THE METHOD OF SLOWLY VARYING AMPLITUDES. THE QUADRATIC KINETIC DOPPLERTRON MODEL WITH ARBITRARILY POLARIZATIONS OF THE ELECTROMAGNETIC WAVES	205
5.1	Formulation of the Problem	206
5.2	Truncated Equations for the Wave Amplitudes	207
5.3	Solving the Kinetic Equation by Successive Approximations	208
5.4	Again the Truncated Equations for Wave Amplitudes	210
5.5	Stationary Version of the Truncated Equations for Wave Amplitudes	212
5.6	Integrals of Motion	213
6	SELF-CONSISTENT QUADRATIC FEL THEORY OF THE SIMPLEST LINEARLY POLARIZED QUASI-HYDRODYNAMIC MODEL	214
6.1	Truncated Equations for the Simplest Model	214
6.2	Case of the Given Pumping Field	214
6.3	Case of Self-Consistent Changing of All Slowly Varying Amplitudes. Integration Algorithm	216
6.4	The Case of Self-Consistent Changing of All Slowly Varying Amplitudes. The Boundary Conditions Problem	219
6.5	The Case of Self-Consistent Changing of All Slowly Varying Amplitudes. The Solutions	219
6.6	The Case of Self-Consistent Changing of All Slowly Varying Amplitudes. The Passage to the Approximation of a Given Pumping Field	220

7	ANALYSIS OF THE WAVE RESONANT CONDITIONS	221
7.1	The Model of a Cold Electron Beam	221
7.2	ADE Interaction Modes in the Dopplertron FEL	222
7.3	Passing to the Case of the H-ubitron Model	224
7.4	Dopplertron Models with Retarded Pumping	224
7.5	Role of the Thermal Electron Beam Spread	226
8	SELF-CONSISTENT QUADRATIC FEL THEORY OF THE ARBITRARY POLARIZED KINETIC MODEL. THE APPROXIMATION OF A GIVEN PUMPING FIELD IN THE CASE OF THE RAMAN MODE	227
8.1	Types of Instabilities which Are Possible in the Dopplertron FELs	227
8.2	Boundary Conditions	228
8.3	Solutions	228
8.4	Threshold of Interaction	229
8.5	Passage to the H-Ubitron Model	230
8.6	Phase Effects	230
8.7	Polarization Effects	231
8.8	The Effects of Phase and Polarization Discrimination	233
8.9	The Role of the Pumping Wave Retardation in the Amplification Process	237
9	SELF-CONSISTENT QUADRATIC FEL THEORY OF THE ARBITRARILY POLARIZED KINETIC MODEL. THE APPROXIMATION OF THE GIVEN PUMPING FIELD IN THE CASE OF COMPTON MODE	238
9.1	Truncated Equations	238
9.2	Boundary Conditions	239
9.3	Solutions	239
9.4	Phase and Polarization Effects	241
10	SELF-CONSISTENT QUADRATIC FEL THEORY. THE EXPLOSIVE INSTABILITY IN THE LINEARLY POLARIZED RAMAN MODEL	242
10.1	Classification of the Self-Consistent Modes of Interaction	243
10.2	Truncated Equations. The Cold Linearly Polarized Dopplertron Model	244
10.3	Classification of Models with Explosive Instability	245
10.4	Analysis of the Synchronous Conditions (Kinematic Analysis)	245
10.5	Amplitude Analysis	246

10.6	Case of Degeneration of the Wave Frequencies	248
10.7	The Influence of Dissipation for the SCW	250
11	SELF-CONSISTENT QUADRATIC FEL THEORY. THE EXPLOSIVE INSTABILITY IN THE ARBITRARILY POLARIZED SELF-CONSISTENT RAMAN MODEL	251
11.1	Truncated Equations in the Real Form	251
11.2	Motion Integrals	252
11.3	Functions $u(z)$ and $R(z)$	252
11.4	Nonlinear Potential	253
11.5	Analytical Solutions	253
11.6	Explosive Length	256
11.7	Polarization Effects	256
11.8	Explosive Instability in the Linearly Polarized Self-Consistent Compton Model	259
12	THE SELF-CONSISTENT QUADRATIC FEL THEORY. THE EXPLOSIVE INSTABILITY IN LINEARLY POLARIZED SELF-CONSISTENT COMPTON MODEL	260
12.1	The Compton Truncated Equations	261
12.2	Motion Integrals	262
12.3	Energy	262
12.4	Solutions	262
12.5	Compton Critical Length	263
13	SELF-CONSISTENT QUADRATIC FEL THEORY OF THE EFFECT OF THE GENERATION OF THE TRANSVERSE H-UBITRON FIELD	263
13.1	Two Modes of the Effect of the Generation of Additional Magnetic Field	264
13.2	Wave Nonlinear Mechanism	265
13.3	Diamagnetic Mechanism	266
14	THE DOPPLERTRON CUBIC NONLINEAR MODEL. THE EFFECT OF NONLINEAR GENERATION OF THE LONGITUDINAL ELECTRIC FIELD	268
14.1	Physical Nature of the Generated Longitudinal Electric Field	269
14.2	Wave Efficiency	269
14.3	Gain Factor	271
14.4	Numerical Analysis	271

15	DOPPLERTRON CUBIC NONLINEAR MODEL. THE ISOCHRONOUS MODEL OF A DOPPLERTRON AMPLIFIER	274
16	H-UBITRON CUBIC NONLINEAR MODEL. THE EFFECT OF NONLINEAR GENERATION OF THE TRANSVERSE PERIODIC MAGNETIC FIELD	279
16.1	Adapted System of Truncated Equations and Its Accuracy	280
16.2	Generation of the Additional Improper H-Ubitron Fields	281
16.3	Nonlinear Generation of the Proper H-Ubitron Fields	285
13.	HIERARCHICAL THEORY OF TWO-STREAM SUPERHETERODYNE FREE ELECTRON LASERS	291
1	TWO-STREAM SUPERHETERODYNE FREE ELECTRON LASERS AS A NEW CLASS OF RELATIVISTIC ELECTRON DEVICES	292
1.1	History of the Problem and the Main Ideas	292
1.2	Two-Stream Superheterodyne Free Electron Laser (TSFEL): Design Schemas and Their Principles of Operation	295
1.3	Analyzed Models	298
2	THEORY OF THE TWO-STREAM INSTABILITY	302
2.1	Initial Model. Statement of the Problem	303
2.2	The Linear Approximation	304
2.3	Nonlinear Approximation	308
2.4	Analysis	311
3	THE ESSENCE OF THE EFFECT OF TWO SUPERHETERODYNE AMPLIFICATION	314
3.1	Qualitative Comparison of the Parametric and Superheterodyne Mechanisms of Amplification	314
3.2	Main Idea of the Effect of Superheterodyne Amplification	315
4	FORMULATION OF THE CUBIC NONLINEAR TWO-STREAM SUPERHETERODYNE PROBLEM	317
4.1	Model and Fields	317
4.2	Two-Stream Superheterodyne Free Electron Laser as a Hierarchical Wave-Oscillative System	319
4.3	Quasi-Compton and Raman Interaction Modes	321

<i>Contents</i>	xiii
4.4 Electric Support and the Effect of Nonlinear Generation of the Longitudinal Electric Field	323
4.5 Motion Problem	324
4.6 Concept of the Space Charge Waves in the Cases of Raman and Compton Modes	325
5 CUBIC NONLINEAR TRUNCATED EQUATIONS AND ANALYSIS	329
5.1 Cubic Nonlinear Truncated Equations	329
5.2 Amplification Dynamics	332
5.3 Efficiency Dynamics	334
5.4 Influence of the Effect of Nonlinear Generation of the Longitudinal Electric Field	335
5.5 Influence of the Generated Magnetic Field	338
5.6 Influence of Highest Harmonics and Longitudinal Focusing Magnetic Field	341
5.7 Klystron TSFEL Amplifiers	344
EPILOGUE	353
Appendices	355
Appendix A	355
Appendix B	359
Appendix C	361
Appendix D	363
Appendix E	365
Appendix F	367
Index	375