

Contents

1	Introduction	1
1.1	Previous research on the piezojunction effect	1
1.2	Mechanical stress and its influence in accuracy	2
1.3	New stress-sensing circuits	3
1.4	Motivation and objectives	4
1.5	Book structure	4
2	Mechanical stress in integrated circuits	9
2.1	Introduction	9
2.2	Mechanical properties of crystalline silicon	9
2.3	Mechanical stress	11
2.4	Strain	12
2.5	Silicon crystal orientation	14
2.6	Elastic properties of silicon	15
2.7	Origin of mechanical stress in a silicon die	17
2.7.1	Wafer processing	17
2.7.2	Packaging	18
2.7.3	Gradients and geometrical factors	21
2.7.4	Long-term instability and hysteresis	21
2.8	Mechanical stress conditions to characterize microelectronic circuits	22
2.8.1	Cantilever technique	22

2.8.2	Test structure for mechanical stress and temperature characterization	24
-------	--	----

3 Piezo effects in silicon 31

3.1	Introduction	31
3.2	An overview about the piezo effects in silicon	32
3.3	Review of the piezoresistive theory of silicon	34
3.3.1	Piezoresistive tensor	35
3.3.2	Piezoresistive coefficients	37
3.3.3	Off-axis longitudinal and transversal piezoresistive coefficients	38
3.4	Piezojunction effect	39
3.4.1	Stress-induced change in the saturation current	39
3.4.2	Set of piezojunction coefficients for bipolar transistors	41
3.4.3	The influence of the piezojunction effect for temperature-sensor voltages	42

4 Characterization of the piezojunction effect 49

4.1	Introduction	49
4.2	Vertical transistors	49
4.2.1	DC characterization at wafer level	51
4.2.2	Vertical NPN characterization	53
4.2.3	Vertical PNP characterization	60
4.2.4	Piezojunction coefficients for vertical transistors	66
4.2.5	Temperature dependence of the piezojunction coefficients .	67
4.2.6	Piezojunction effect at different current densities	68
4.3	Lateral transistors	69
4.4	Summary of the piezojunction coefficients	73

4.5	Conclusions	74
5	Minimizing the piezjunction and piezoresistive effects in integrated devices	77
5.1	Introduction	77
5.2	Vertical transistors	78
5.3	Lateral transistors	80
5.4	Resistors	84
5.5	Conclusions	88
6	Minimizing the inaccuracy in packaged integrated circuits	91
6.1	Introduction	91
6.2	Translinear circuits	91
6.3	Translinear circuits with resistors	93
6.4	Bandgap references and temperature transducers	95
6.4.1	Temperature transducer characterization	102
6.4.2	Inaccuracy caused by packaging	106
6.4.3	Bandgap reference characterization	109
6.5	Conclusions	114
7	Stress-sensing elements based on the piezjunction effect	119
7.1	Introduction	119
7.2	Stress-sensing elements based on the piezoresistive effect	120
7.3	Stress-sensing elements based on the piezjunction effect	121
7.4	Comparison between the piezjunction effect and the piezoresistive effect for stress-sensing applications	123
7.5	Maximizing the piezjunction effect in L-PNP transistors	127
7.6	Stress-sensing element based on the L-PNP current mirror	129

7.6.1	Temperature dependence of the stress-sensitivity	133
7.6.2	Compensation of the temperature effect	135
7.6.3	Stress-sensing L-PNP transistor	137
7.7	Conclusions	140

8 Conclusions **143**

Appendix **147**

A	Transformation of coordinate system	147
B	Stress calculations based on the cantilever technique	149
C	Transformation of coordinate system for the second-order piezoresistive coefficients	151
D	MatLab program used to calculate the stress-induced change in V_{BE} and V_{ref}	153

List of symbols **155**

Index **159**